*	Application No.	Applicant(s)
Notice of Allowability	10/731,311	DELGADO ET AL.
	Examiner	Art Unit
	ARMANDO RODRIGUEZ	2828
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-25</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal F 6. ☐ Interview Summary Paper No./Mail Da	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0		
Paper No./Mail Date <u>12-8-03, 8-22-05</u> 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Statemo	ent of Reasons for Allowance

Art Unit: 2828

DETAILED ACTION

Allowable Subject Matter

Claims 1-25 are allowed.

After reviewing the cited information disclosure statement, the international search report filed on August 22, 2005 and conducting a search none of the searched and cited prior arts alone or in combination discloses the claimed phase-change heat exchanger having the structural combination of independent claims 1 and 16, in particular having the conduits and foam structure in thermal contact, where the foam structure includes open cells with a phase-change material within the open cells.

The cited reference to FR-A-2 831 950 of the international search report does describe a conduit (6), a foam structure (6a) and a phase change material (PCM), however after carefully reviewing the specifications and the figures; the PCM is enclosed within envelope (2) and not within the foam structure (6a) as required by claims 1 and 16.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ARMANDO RODRIGUEZ whose telephone number is 571-272-1952. The examiner can normally be reached on 9:00 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MINSUN HARVEY can be reached on 571-272-1835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2828

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ÁRMANDO RODRÍGUEZ

Primary Examiner Art Unit 2828

AR